

1. Identification **SLAYMOR LOOSE BAIT**

Substance No. FAB037

Issue Date 23-Jan-2004

Issue 1

Product Information

By Novartis Animal Health UK Limited
Address New Cambridge House, Litlington, Nr Royston
 HERTS. SG8 0SS
Phone ++44(0)1763 850500
Fax ++44(0)1763 850490
Emergency ++44(0)1763 850500
Other Ref 1100052, 1100056, 1100057, 1101911
Container Loose bait in plastic container
Uses Rodenticide for professional use
Description Blue granular grain

2. Information on ingredients

Bromadiolone : CAS : 28772-56-7

Denatonium benzoate : CAS : 3734-33-6

3. Hazards identification

No known hazards to man or the Environment.



None



None

4. First aid procedures

NEVER make an unconscious person sick or give them anything to drink.

INGEST:

Do **NOT** induce vomiting.

Rinse mouth then drink plenty of water or milk.

SEEK MEDICAL ADVICE.

RESP:

Remove to fresh air from exposure.

Rest, keep calm and warm.

SKIN:

Remove contaminated clothing and wash/drench effected area with water.

SEEK MEDICAL ADVICE.

EYES:

Flush copiously for at least 15 minutes, holding the eye open. Remember to remove contact lenses.

SEEK MEDICAL ADVICE.

Information for Medical Practitioner:

Bromadiolone is an indirect anticoagulant. Phytomenadione (Vitamin K1) is antidotal. Determine prothrombin times not less than 18 hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalises.

Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

5. Fire fighting measures

Extinguish fires with water, foam, dry powder, or CO₂.

Do not allow extinguishing medium to enter drains, watercourses or soil.

Toxic fumes may be evolved :- wear breathing apparatus.

6. Accidental release measures

Wear appropriate protective clothing and gloves.

Sweep up/clean up and dispose of as waste.

Do not allow to enter drains or other water courses.

7. Handling and storage

Avoid all contact with mouth.

Wash hands/exposed skin after work/before eating or drinking.

Store in the original container, tightly closed, under normal warehouse conditions [$<30^{\circ}\text{C}$]

Keep out of reach of children and away from food, drink and animal feeding stuffs.

8. Exposure controls

Personal protective equipment

EYES: None necessary under normal working conditions.

HAND: Wear gloves (synthetic rubber/PVC).

BODY: Wear overalls (cotton or synthetic fabric).

Wash hands/exposed skin after work/before eating or drinking.

9. Physical description

A blue granular cereal based bait with no perceptible odour.

10. Stability and reactivity

Stable under standard conditions.

11. Toxicological information

Acute Oral Toxicity

LD₅₀ : >2000 mg/kg (rat)

Acute Skin Irritant : non irritant

Acute Eye Irritation : non irritant

12. Ecological information

Acute Toxicity to Fish :

Bromadiolone (1% solution)

LC₅₀ (96hr) : Rainbow Trout : 0.14 ml/l.

LC₅₀ (96hr) : Bluegill sunfish: 0.3 ml/l.

Toxicity to Aquatic invertebrates

Bromadiolone (1% solution)

LC₅₀ (48hr) : 0.2 ml/l

For denatonium benzoate concentrations above 5mg/l are harmful to the environment.

Bromadiolone and denatonium benzoate are classified as toxic and harmful to aquatic organisms. Care must be taken to avoid their release and subsequent contamination of the aquatic environment.

13. Disposal considerations

Disposal to be in accordance with Local and National Regulations.

Do not discharge into public sewers or drains.

14. Transport Information

Not classified as hazardous for transport purposes.

15. Regulatory information

S13 : Keep away from food, drink and animal feeding stuffs.

S2 : Keep out of reach of children.

16. Comments

This data sheet does NOT constitute a user's assessment of workplace risk under any Health and Safety Legislation.

This information is based upon our current knowledge and is intended only to describe for the purposes of Health, Safety and the Environment. It must not be construed as guaranteeing any specific property of the substance.